



**Integrerad reduktion PE 100 PN 16**



Dimension	LPT nr	Svets	Antal/kartong
32-20	703T32-20	LPT110/830/720	35
*32-25	703T32-25		20
*40-32	703T40-32		20
*50-32	703T50-32		10
50-40	703T50-40		32
63-32	703T63-32		40
63-40	703T63-40		40
63-50	703T63-50		40
90-63	703T90-63		30
110-90	703T110-90		16

\* Levereras som paket om 1 st reduktion samt 2 st elektrosvetsmuffar

**Integrerad svetsvinkel 45 grader PE 100 PN 16**



Dimension	LPT nr	Svets	Antal/kartong
32	705T32-45GR	LPT110/830/720	35
40	705T40-45GR		25
50	705T50-45GR		30
63	705T63-45GR		24
90	705T90-45GR		20
110	705T110-45GR		12
125	705T125-45GR		6

**Integrerad svetsvinkel 90 grader PE 100 PN 16**



Dimension	LPT nr	Svets	Antal/kartong
20	705T20-90GR	LPT110/830/720	40
25	705T25-90GR		40
32	705T32-90GR		35
40	705T40-90GR		30
50	705T50-90GR		30
63	705T63-90GR		18
90	705T90-90GR		15
110	705T110-90GR		8
125	705T125-90GR		5
*40	705TLU40-90GR	Med avluftn.	20

\* Fler dimensioner mot beställning

### Integrerad T-rör PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
20	708T20	LPT110/830/720	40
25	708T25		40
32	708T32		35
40	708T40		30
50	708T50		22
63	708T63		12
90	708T90		8
110	708T110		6
125	708T125		4

### Svetsmuff PE 80 PN 12,5



Dimension	LPT nr	Svets	Antal/kartong
20	802T20	LPT110/830/720	35
25	802T25		25
32	802T32		20
40	802T40		25
50	802T50		20
63	802T63		25
75	802T75		36
90	802T90		18
110	802T110		15
125	802T125		8
160	802T160		4

### Svetsmuff - Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
20	802TL20	LPT110/830/720	50
25	802TL25		50
32	802TL32		50
40	802TLS40	med skruvfix.	50
50	802TL50		50
63	802TL63		42
75	802TL75		16
90	802TL90		12
110	802TL110		10
125	802TL125		5
140	802TL140	LPT830	5
160	802TL160		6
180	802TL180		4
200	802TL200		4
225	802TL225		2
250	802TL250	SDR 17	1
315	802TL315	SDR17	1
280	802TL280-40	40 Volt MSA	1

## Reduktion - Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
25-20	803TL25-20		40
32-20	803TL32-20		100
32-25	803TL32-25		45
40-20	803TL40-20		40
40-25	803TL40-25		50
40-32	803TL40-32		40
50-20	803TL50-20		35
50-25	803TL50-25		45
50-32	803TL50-32		40
50-40	803TL50-40		25
63-32	803TL63-32		50
63-40	803TL63-40		50
63-50	803TL63-50		50
75-40	803TL75-40		60
75-50	803TL75-50		50
75-63	803TL75-63		50
90-50	803TL90-50		18
90-63	803TL90-63		18
90-75	803TL90-75		18
110-63	803TL110-63		24
110-75	803TL110-75		10
110-90	803TL110-90		9
125-63	803TL125-63		-
125-75	803TL125-75		-
125-90	803TL125-90		15
125-110	803TL125-110		-
140-75	803TL140-75		-
140-90	803TL140-90		-
140-110	803TL140-110		-
140-125	803TL140-125		12
160-90	803TL160-90		-
160-110	803TL160-110		-
160-125	803TL160-125		-
160-140	803TL160-140		10
180-90	803TL180-90		-
180-110	803TL180-110		-
180-125	803TL180-125		-
180-140	803TL180-140		-
180-160	803TL180-160		-
200-140	803TL200-140		-
200-160	803TL200-160		-
200-180	803TL200-180		-

Dimensioner upp till 315 mot beställning

### Vinkel 45 grader - Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
20	805TL20-45GR		40
25	805TL25-45GR		30
32	805TL32-45GR		25
40	805TL40-45GR		30
50	805LT50-45GR		70
63	805TL63-45GR		50
75	805TL75-45GR		12
90	805TL90-45GR		20
110	805TL110-45GR		12
125	805TL125-45GR		6
140	805TL140-45GR		6
160	805TL160-45GR		6
180	805TL180-45GR		5
200	805TL200-45GR		3
225	805TL225-45GR		2
250	805TL250-45GR		1
280	805TL280-45GR		2
315	805TL315-45GR		2

### Vinkel 90 grader - Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
20	805TL20-90GR		40
25	805TL25-90GR		40
32	805TL32-90GR		100
*40	805TL40-90GR		50
50	805TL50-90GR		30
63	805LT63-90GR		40
75	805TL75-90GR		12
90	805TL90-90GR		18
110	805TL110-90GR		10
125	805TL125-90GR		6
140	805TL140-90GR		5
160	805TL160-90GR		5
180	805TL180-90GR		3
200	805TL200-90GR		3
225	805TL225-90GR		1
250	805TL250-90GR		1
280	805TL280-90GR		1
315	805TL315-90GR		1

\* Kort modell tillgänglig

## Byxgrenrör PE100 PN16



Dimension	LPT nr	Svets	Antal/kartong
32	806T32-25-25		-
40	806T40-32-32		-
50	806T50-40-40		-

## Reducerade T-rör Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong	Pris/st
25-20	807TL25-20		20	
32-20	807TL32-20		10	
32-25	807TL32-25		25	
40-20	807TL40-20		30	
40-25	807TL40-25		30	
40-32	807TL40-32		6	
50-20	807TL50-20		20	
50-25	807TL50-25		20	
50-32	807TL50-32		20	
50-40	807TL50-40		10	
63-32	807TL63-32		10	
63-40	807TL63-40		10	
63-50	807TL63-50			
75-32	807TL75-32			
75-40	807TL75-40		4	
75-50	807TL75-50		10	
75-63	807TL75-63			
90-50	807TL90-50			
90-63	807TL90-63			
90-75	807TL90-75		3	
110-63	807TL110-63			
110-75	807TL110-75		2	
110-90	807TL110-90			
125-63	807TL125-63		8	
125-75	807TL125-75		8	
125-90	807TL125-90		3	
125-110	807TL125-110		4	
140-75	807TL140-75		4	
140-90	807TL140-90		4	
140-110	807TL140-110		4	
140-125	807TL140-125		1	
160-63	807TL160-63		2	
160-75	807TL160-75		2	
160-90	807TL160-90			
160-110	807TL160-110		4	
160-125	807TL160-125		4	

Dimensioner upptill 315mm mot beställning

### T-rör Lång modell PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
20	808TL20		30
25	808TL25		25
32	808TL32		20
40	808TL40		80
50	808TL50		20
63	808TL63		25
75	808TL75		16
90	808TL90		7
110	808TL110		7
125	808TL125		4
140	808TL140		4
160	808TL160		4
180	808TL180		3
200	808TL200		2
225	808TL225		1

Dimensioner upptill 315mm mot beställning

### Anborsradel (PP) PP PN 10



Dimension	LPT nr	Svets	Antal/kartong
40/15	813T40-R15		
63/25	813T63-R25		
75/25	813T75-R25		
75/32	813T75-R32		
75/40	813T75-R40		
90/15	813T90-R15		
110/15	813T110-R15		
110/25	813T110-R25		
110/40	813T110-R40		
110/50	813T110-R50		
125/15	813T125-R15		
140/25	813T140-R25		
140/50	813T140-R50		
160/15	813T160-R15		
160/25	813T160-R25		

### Instrumentanslutning PE 80 PN 10



Dimension	LPT nr	Svets	Antal/kartong
20/R10	815TGF20-R10		10
20/R15	815T20-R15		5
25/15	815T25-R15		5
32/15	815T32-R15		5
32/25	815T32-R25		5
40/15	815T40-R15		5
40/R32	815T40-R32		5
50/15	815T50-R15		5
50/R32	815T50-R32		5
50/R40	815T50-R40		5
63/15	815T63-R15		5
75/15	815T75-R15		
90/15	815T90-R15		
110/15	815T110-R15		
110/15	815T110-R25		
125/15	815T125-R15		
160/15	815T160-R15		
200/20	815T200-R20		

### Ändsvetshuv



Dimension	LPT nr	Svets	Antal/kartong
110	816T110		36

### Ändsvetshuv Lång modell



Dimension	LPT nr	Svets	Antal/kartong
20	816TL20		50
25	816TL25		50
32	816TL32		50
40	816TL40		100
50	816TL50		30
63	816TL63		50
75	816TL75		40
90	816TL90		50
110	816TL110		30
125	816TL125		12
140	816TL140		
160	816TL160		8
180	816TL180		10
200	816TL200		5
225	816TL225		1
250	816TL250		1
280	816TL280		1
315	816TL315		1

## Lösfläns PP / stål PN 16



Dimension	LPT nr	Svets	Antal/kartong
32	880T32L		
40	880T40L		
50	880T50L		
63	880T63L		
75	880T75L		
90	880T90L		
110	880T110L		
125	880T125L		
140	880T140L		
160	880T160L		
180	880T180L		
200	880T200L		
225	880T225L		
250	880T250L		
280	880T280L		
315	880T315L		

## Bordring PE 100 PN 16



Dimension	LPT nr	Svets	Antal/kartong
32	881TL32		
40	881TL40		
50	881TL50		
63	881TL63		
75	881TL75		
90	881TL90		
110	881TL110		
125	881TL125		
140	881TL140		
160	881TL160		
180	881TL180		
200	881TL200		
225	881TL225		
250	881TL250		
280	881TL280		
315	881TL315		



## Flänspackning



Dimension	LPT nr	Svets	Antal/kartong
32	882T32		
40	882T40		
50	882T50		
63	882T63		
75	882T75		
90	882T90		
110	882T110		
125	882T125		
140	882T140		
160	882T160		
180	882T180		
200	882T200		
225	882T225		
250	882T250		
280	882T280		
315	882T315		

## Övergångsnippel PE 80 PN 10



Dimension	LPT nr	Svets	Antal/kartong
20-R15	892T20-R15		
25-R20	892T25-R20		
32-R25	892T32-R25		
40-R32	892T40-R32		
50-R40	892T50-R40		
63-R50	892T63-R50		

## Övergångsmuff PE 80 PN 10



Dimension	LPT nr	Svets	Antal/kartong
20-R15	893T20-R15 inv gänga		10
32-R25	893T32-R25 inv gänga		10
40-R32	893T40-R32 inv gänga		10

### Övergångskoppling - utvändig gänga PN 16



Dimension	LPT nr	Svets	Antal/kartong
40-R25	895T40-R25	LPT110/830/720	20
40-R32	895T40-R32		20
40-R40	895T40-R40		20
40-R50	895T40-R50		8
50-R25	895T50-R25		20
50-R32	895T50-R32		20
50-R40	895T50-R40		15
50-R50	895T50-R50		8
63-R25	895T63-R25		8
63-R32	895T63-R32		8
63-R40	895T63-R40		8
63-R50	895T63-R50		8

### Övergångskoppling - invändig gänga PN 16



Dimension	LPT nr	Svets	Antal/kartong
40-R32	897T40-R32	LPT110/830/720	12
50-R40	897T50-R40		9
63-R25	897T63-R25		6
63-R32	897T63-R32		6
63-R40	897T63-R40		12
63-R50	897T63-R50		8

### Övergångskoppling - utvändig gänga PN 16



Dimension	LPT nr	Svets	Antal/kartong
63R50	895TG63R50		
75R65	895TG75R65		
90R80	895TG90R80		
110R100	895TG110R100		

### Övergångskoppling - invändig gänga PN 16



Dimension	LPT nr	Svets	Antal/kartong
63R50	897TG63R50		
75R65	897TG75R65		
90R80	897TG90R80		
110R100	897TG110R100		